

| Location | Subject | Year | Value | Source | Note |
|--|--|---------|-----------|------------------|---|
| National | Emission of nitrogen oxides (1990 in Metric Tons; 1997 in Giga Grams) | 1990 | 3000 | 2 | |
| | | 1997 | 92.35 | 1 | |
| | Emission of carbon monoxide (Giga Grams) | 1997 | 2437.3 | 1 | |
| | Emission of methane (1990 in Metric Tonnes; 1997 in Giga Grams) | 1990 | 1335000 | 2 | |
| | | 1997 | 1261.9 | 1 | |
| | Emission of carbon dioxide (1990 in Metric Tonnes; 1997 in Giga Grams) | 1990 | 110860000 | 2 | |
| | | 1997 | 13,443 | 1 | |
| | Consumption of Ozone depleting substances (Kilogram) | 1997 | 685794 | 1 | |
| | Annual withdrawal of surface water (Cubic meter per capita) | 1987 | 217 | 2 | |
| | Domestic consumption of ground water (Cubic kilometer) | 1979 | 0.387 | 2 | |
| | Length of marine coast line (Kilometer) | 1990 | 580 | 2 | |
| | Total mangrove coverage | 1996 | 440000 | 2 | |
| | Percent of urban population in large coastal cities | 1997 | 32 | 1 | Year indicates year of publication of CES |
| | Annual Catches of marine species (Metric Tonnes) | 1990-91 | 242000 | 1 | |
| | | 1994-95 | 265000 | 1 | |
| | | 1995-96 | 279000 | 1 | |
| | Geographical area (Hectares) | 1997 | 14757000 | 1 | Year indicates year of publication of CES |
| | Cultivable land (acres) | 1990-91 | 20198000 | 1 | |
| | | 1993-94 | 19090000 | 1 | |
| | | 1994-95 | 19133000 | 1 | |
| | Barren and uncultivable land (acres) | 1990-91 | 7958000 | 1 | |
| | | 1993-94 | 10355000 | 1 | |
| | | 1994-95 | 10128000 | 1 | |
| | Pasture and grazing land (Hectares) | 1992-94 | 600000 | 2 | Permanent pasture |
| | Cultivable waste land (acres) | 1990-91 | 1442000 | 1 | |
| | | 1993-94 | 1568000 | 1 | |
| | | 1994-95 | 1547000 | 1 | |
| | Wetlands (Hectares) | 1997 | 60000 | 2 | WETLANDS OF INTERNATIONAL IMP |
| | Industrial area (Square Km) | 1997 | 3.69 | 1 | Year indicates year of publication of CES |
| | Irrigated agricultural land (acres) | 1990-91 | 8788000 | 1 | |
| | | 1994-95 | 8472000 | 1 | |
| | | 1995-96 | 7479000 | 1 | |
| | Fertiliser consumption (KG/Hectare) | 1984 | 65 | 2 | KG/HA OF CROP LAND |
| | | 1990 | 68 | 4 | KG/HA OF CROP LAND |
| | | 1994 | 120 | 2 | KG/HA OF CROP LAND |
| | Pesticide use (Metric Tonnes) | 1991 | 7183.29 | 1 | |
| | | 1995 | 9572.58 | 1 | |
| | | 1996 | 11224.89 | 1 | |
| | Area affected by soil erosion (Hectares) | 1989 | 989000 | 4 | |
| | Protected land area as % of total land area | 1994 | 0.7 | 5 | |
| | | 1997 | 0.8 | 2 | |
| Total floral species (Number) | 1991 | 5000 | 1 | FLOWERING PLANTS | |
| Threatened/endangered species (Number) | 1991 | 36 | 1 | VASCULAR PLANTS | |
| | 1992 | 33 | 4 | | |
| Extinct species | | | | | |
| Total faunal species (Number) | 1989 | 847 | 1 | | |
| Threatened/endangered species (Number) | 1989 | 136 | 1 | | |
| Extinct species (Number) | 1989 | 17 | 1 | | |

| Location | Subject | Year | Value | Source | Note |
|----------|--|---------|------------|--------|---|
| | Total forest area (Hectares) | 1990-91 | 1859093 | 1 | |
| | | 1994-95 | 2191389 | 1 | |
| | | 1995-96 | 2191389 | 1 | |
| | Deforestation rate (%) | 1981-90 | 4.9 | 4 | |
| | Afforestation rate (Acres) | 1991-92 | 26366 | 1 | |
| | | 1995-96 | 22288 | 1 | |
| | | 1996-97 | 33543 | 1 | |
| | Protected forest area (Acres) | 1990-91 | 52317.76 | 1 | |
| | | 1994-95 | 38590.82 | 1 | |
| | | 1995-96 | 38590.82 | 1 | |
| | Annual energy use (Petajoules) | 1995 | 378 | 2 | |
| | Annual power generation (GWH) | 1990-91 | 8270.1903 | 1 | |
| | | 1995-96 | 11474.2133 | 1 | |
| | | 1996-97 | 11857.592 | 1 | |
| | Total population (Number) | 1990 | 114000000 | 4 | |
| | | 1996 | 122900000 | 1 | |
| | Total urban population (Number) | 1990 | 16400000 | 4 | |
| | | 1996 | 26700000 | 1 | |
| | Total rural population (Number) | 1990 | 97600000 | 4 | |
| | | 1996 | 96200000 | 1 | |
| | Rate of growth of urban population (%) | 1980-90 | 5.1 | 4 | |
| | | 1996 | 1.39 | 1 | |
| | Population below poverty line (%) | 1988-89 | 47.8 | 1 | Below absolute poverty line with 2122 k cal intake per person per day |
| | | 1991-92 | 47.5 | 1 | Below absolute poverty line with 2122 k cal intake per person per day |
| | | 1995-96 | 47.5 | 1 | Below absolute poverty line with 2122 k cal intake per person per day |
| | Population with access to safe drinking water facility in urban area (%) | 1987-92 | 37 | 6 | |
| | Population with access to safe drinking water facility in rural area (%) | 1987-92 | 89 | 6 | |
| | Population with sanitary facilities in urban areas (%) | 1987-92 | 63 | 6 | |
| | Population with sanitary facilities in rural areas (%) | 1987-92 | 26 | 6 | |
| | Motor vehicles per thousand habitants (Number) | 1995-96 | 3.32 | 1 | ESTIMATED |
| | Frequency of occurrence of flood (Number) | 1964-86 | 18 | 4 | |
| | Frequency of occurrence of draught (Number) | 1964-86 | 2 | 4 | |
| | Frequency of occurrence of cyclone | 1964-86 | 36 | 4 | |
| | Frequency of occurrence of earthquake (Number) | 1964-86 | 0 | 4 | NOT VERY COMMON |
| | Environmental acts promulgated for water pollution control | | Yes | 1 | |
| | Environmental acts promulgated for air pollution control | | Yes | 1 | |
| | Environmental acts promulgated for solid waste management | | No | 1 | |
| | Environmental acts promulgated for hazardous waste management | | Yes | 1 | |
| | Environmental acts promulgated for preservation of natural resources | 1995 | Yes | 1 | |
| | Environmental guidelines formulated for EIA | 1997 | Yes | 1 | |
| | Programmes of environment statistics, indicators, and accounting | 1992 | Yes | 1 | |

| Location | Subject | Year | Value | Source | Note |
|------------|---|---------|----------------|--------|---|
| Dhaka | Annual average maximum temperature (Degree centigrade) | 1992 | 39 | 1 | |
| | | 1994 | 34 | 1 | |
| | | 1995 | 36 | 1 | |
| | Annual average minimum temperature (Degree centigrade) | 1992 | 10 | 1 | |
| | | 1994 | 13 | 1 | |
| | | 1995 | 11 | 1 | |
| | Annual total rainfall (Millimeter) | 1990 | 2153 | 1 | |
| | | 1994 | 1540 | 1 | |
| | | 1995 | 1752 | 1 | |
| Chittagong | Annual average maximum temperature (Degree centigrade) | 1992 | 37 | 1 | |
| | | 1994 | 33 | 1 | |
| | | 1995 | 33 | 1 | |
| | Annual average minimum temperature (Degree centigrade) | 1992 | 12 | 1 | |
| | | 1994 | 14 | 1 | |
| | | 1995 | 13 | 1 | |
| | Annual total rainfall (Millimeter) | 1990 | 2985 | 1 | |
| | | 1994 | 2260 | 1 | |
| | | 1995 | 2445 | 1 | |
| Sylhet | Annual average maximum temperature (Degree centigrade) | 1992 | 36 | 1 | |
| | | 1994 | 33 | 1 | |
| | | 1995 | 33 | 1 | |
| | Annual average minimum temperature (Degree centigrade) | 1992 | 9 | 1 | |
| | | 1994 | 13 | 1 | |
| | | 1995 | 12 | 1 | |
| | Annual total rainfall (Millimeter) | 1990 | 4338 | 1 | |
| | | 1994 | 3568 | 1 | |
| | | 1995 | 3903 | 1 | |
| Comilla | Annual average maximum temperature (Degree centigrade) | 1992 | 34 | 1 | |
| | | 1994 | 33 | 1 | |
| | | 1995 | 33 | 1 | |
| | Annual average minimum temperature (Degree centigrade) | 1992 | 12 | 1 | |
| | | 1994 | 11 | 1 | |
| | | 1995 | 10 | 1 | |
| | Annual total rainfall (Millimeter) | 1990 | 2217 | 1 | |
| | | 1994 | 1384 | 1 | |
| | | 1995 | 2102 | 1 | |
| Farmgate | Concentration of sulphur dioxide (Microgram per cubic meter) | 1995-96 | 43.45-540.98 | 1 | Monitoring frequency not indicated |
| | | 1996-97 | 56.3-162.50 | 1 | Monitoring frequency not indicated |
| | Concentration of nitrogen oxides (Microgram per cubic meter) | 1995-96 | 14.22-226.22 | 1 | Monitoring frequency not indicated |
| | | 1996-97 | 15.33-45.5 | 1 | Monitoring frequency not indicated |
| | Concentration of suspended particulate matter (Microgram per cubic meter) | 1995-96 | 727.80-1773.24 | 1 | Monitoring frequency not indicated |
| | Concentration of suspended particulate matter (Microgram per cubic meter) | 1996-97 | 424.06-2253.9 | 1 | Monitoring frequency not indicated |
| | Concentration of lead (Nanogram per cubic meter) | Nov-96 | 175.43 | 1 | Monthly data, monitoring freq - not indicated |
| | | Feb-97 | 251.84 | 1 | Monthly data |
| | | Mar-97 | 122.78 | 1 | Monthly data |
| Tejgaon | Concentration of sulphur dioxide (Microgram per cubic meter) | 1995-96 | 21-80.58 | 1 | Monitoring frequency not indicated |
| | | 1996-97 | 28.90-29 | 1 | Monitoring frequency not indicated |
| | Concentration of nitrogen oxides (Microgram per cubic meter) | 1995-96 | 3.3-12.98 | 1 | Monitoring frequency not indicated |
| | | 1996-97 | 3.3-46 | 1 | Monitoring frequency not indicated |
| | Concentration of suspended particulate matter (Microgram per cubic meter) | 1995-96 | 566.13-721.50 | 1 | Monitoring frequency not indicated |
| | | 1996-97 | 490.37-998.75 | 1 | Monitoring frequency not indicated |
| | Concentration of lead (Nanogram per cubic meter) | Nov-96 | 30.2 | 1 | Monthly data, monitoring freq - not indicated |
| | | Feb-97 | 75.73 | 1 | Monthly data, monitoring freq - not indicated |
| | | Mar-97 | 61.18 | 1 | Monthly data, monitoring freq - not indicated |

| Location | Subject | Year | Value | Source | Note |
|---------------------------|---|---------------|---------------|--------|---|
| Agargaon | Concentration of sulphur dioxide (Microgram per cubic meter) | Jul-96 | 0 | 1 | Monthly data, monitoring freq - not indicated |
| | | Aug-96 | 0 | 1 | Monthly data, monitoring freq - not indicated |
| | | Sep-96 | 0 | 1 | Monthly data, monitoring freq - not indicated |
| | Concentration of nitrogen oxides (Microgram per cubic meter) | Jul-96 | 10.54 | 1 | Monthly data, monitoring freq - not indicated |
| | | Aug-96 | 9.55 | 1 | Monthly data, monitoring freq - not indicated |
| | | Sep-96 | 8.37 | 1 | Monthly data, monitoring freq - not indicated |
| | Concentration of suspended particulate matter (Microgram per cubic meter) | Jul-96 | 209 | 1 | Monthly data, monitoring freq - not indicated |
| | | Aug-96 | 56.69 | 1 | Monthly data, monitoring freq - not indicated |
| | | Sep-96 | 245 | 1 | Monthly data, monitoring freq - not indicated |
| Gabtali | Concentration of sulphur dioxide (Microgram per cubic meter) | 1995-96 | 33.11-39.12 | 1 | |
| | | 1996-97 | 64.44-199.43 | 1 | |
| | Concentration of nitrogen oxides (Microgram per cubic meter) | 1995-96 | 15.38-53.54 | 1 | |
| | | 1996-97 | 2.53-47.60 | 1 | |
| | Concentration of suspended particulate matter (Microgram per cubic meter) | 1995-96 | 497.11-998.75 | 1 | |
| | 1996-97 | 402.93-502.58 | 1 | | |
| Jamuna at bahadurbad ghat | Concentration of BOD (Milligram per liter) | 1988 | 1.7-3 | 3 | Monthly Value |
| | | 1989 | 0.7-3.1 | 3 | Monthly Value |
| | | 1990 | 0.9-2 | 3 | Monthly Value |
| Jamuna | Concentration of BOD (Milligram per liter) | 1995 | 0.9-3.3 | 1 | Location not mentioned |
| | | 1996 | 1.0-40 | 1 | Location not mentioned |
| Jamuna at bahadurbad ghat | Coliform count (Colonies per 100 ml) | 1988 | 0 | 3 | Uncountable |
| | | 1989 | 250-600 | 3 | |
| | | 1990 | 200-400 | 3 | |
| | Concentration of suspended solids (Milligram per liter) | 1988 | 38-53 | 3 | |
| | | 1989 | 40-61 | 3 | |
| 1990 | | 32-65 | 3 | | |
| Meghna at F Ghat | Concentration of BOD (Milligram per liter) | 1988 | 1.4-4.5 | 3 | Monthly Value |
| | | 1989 | 0.8-2.2 | 3 | Monthly Value |
| | | 1990 | 1.1-2.1 | 3 | Monthly Value |
| Meghna | Concentration of BOD (Milligram per liter) | 1995 | .8-2.1 | 1 | Location not mentioned |
| | | 1996 | 1.1-3.4 | 1 | Location not mentioned |
| Meghna at F Ghat | Coliform count (Colonies per 100 ml) | 1988 | 0 | 3 | Uncountable |
| | | 1989 | 200-500 | 3 | |
| | | 1990 | 100-300 | 3 | |
| | Concentration of suspended solids (Milligram per liter) | 1988 | 8-72 | 3 | |
| | | 1989 | 15-45 | 3 | |
| 1990 | | 26-48 | 3 | | |
| Burigonga at FARAS Gonj | Concentration of BOD (Milligram per liter) | 1988 | 1.6-330 | 3 | Monthly Value |
| | | 1989 | 1.8-174 | 3 | Monthly Value |
| | | 1990 | 1 | 3 | Monthly Value |
| Burigonga | Concentration of BOD (Milligram per liter) | 1995 | 1-13 | 1 | Location not mentioned |
| | | 1996 | 0.6-12 | 1 | Location not mentioned |
| Burigonga at FARAS Gonj | Concentration of suspended solids (Milligram per liter) | 1989 | 52-183 | 3 | Monthly Value |
| | | 1990 | 19-126 | 3 | Monthly Value |
| Padma | Concentration of BOD (Milligram per liter) | 1988-89 | 1.1-1.7 | 1 | Location not mentioned, seasonal value |
| | | 1995 | 1-1.1 | 1 | Location not mentioned, seasonal value |
| | | 1996 | 1-1.1 | 1 | Location not mentioned, seasonal value |

Sources

- 1 Bureau of Statistics, *Compendium on Environment Statistics*
- 2 World Resources Institute, *World Resources*
- 3 Department of Environment, Government of Bangladesh, *Water Quality Data of rivers Buriganga, Meghna, Balu, Silakhya, Jamuna*
- 4 United Nations, *State of the Environment in Asia and the Pacific*
- 5 World Bank, *World Development Report*
- 6 Asian Development Bank, *Key Indicators of Developing Asian and Pacific Countries*, 1995