

Environmental and Social Due Diligence Report

Project Number: 47083-004
September 2021

INDIA: Accelerating Infrastructure Investment Facility in India – Tranche 3

Ashoka Ankleshwar Manubar Expressway Private Limited (Part 5 of 24)

Prepared by India Infrastructure Finance Company Limited for the India Infrastructure Finance Company Limited and the Asian Development Bank.

This environmental and social due diligence report is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or staff, and may be preliminary in nature.

In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, the Asian Development Bank does not intend to make any judgments as to the legal or other status of any territory or area.

To,

Mr. Ashoka Buildcon Ltd.

Subject: Matter of permission to extract soil from various lakes.

Reference: - Nodal Officer Co-Executive Engineer KRAMANK .No. G. 5/ERI/PB/229-236/2021 DATED :29-4 2021

To go to Jai Bharat Saha Urokat subject or as per the letter mentioned in reference (1) Please be informed that the following regarding the demand for deepening the lakes of Ankleshwar taluka Conditions to allow deepening of lake at self cost at Sujalam Sufalam Jal Abhiyan-2021 is coming.

SR NO	VILLAGE NAME	SURVEY NO	AREA	WORK AGENCY NAME	NUMBERS
1	SAJOD	454	5-61-84	Ashoka Buildcon Ltd	1
2	SAJOD	596	0-60-78	Ashoka Buildcon Ltd	1
3	SAJOD	597	1-53-91	Ashoka Buildcon Ltd	1
				TOTAL	3

Terms:

(1) The wages of this work have been given by the Collector, Bharuch.

(2) Assets of the lakes of the villages of Sadar taluka which are in the possession of the Gram Panchayat.

(3) To deepen the lakes as per the demand of various talukas of Bharuch district.

Not included in the master plan.

(4) Government of Gujarat, Narmada Water Resources Water Supply and Kalpsar Department Secretariat, Resolution No. of Gadhinagar Perch / 2019/2144/M I CELL 212 MI Cell dated 08/03/2021 Works which are to be carried out at their own expense by the organizations as per S.No. (11) So there will be no limit on quantity as long as it is technically possible. And their Full cooperation will be given by the government for the smooth completion of the work. As well Yet technically the head surface of the bottom of the lakes and the excavation of the lake The difference between the bottom surface up to 6-.00 MTR or up to the groundwater-surface is two

The lesser of them will have to carry out excavation work within the limits of flying.

(5) The slope on both sides of the lake bed should be at least 2 : 1. And in excavations

The cutting slope should be 2:5:1

(6) Excavation of the lake should start from the middle part.

(7) Resolutions of 215-6-A of Lakes and Gram Panchayat before the commencement of work

Verification will be done from here. Only then will the work order be issued and The lakes should be registered with the Revenue Office and owned by the Government Panchayat in 4-A Should be.

(8) Excavation work in the lake increases the existing water storage capacity and workThe work will have to be carried out as it becomes useful to the people.

(9) During excavation or after excavation any kind of future due to this operationResponsibility to take adequate precautions to prevent accidents or damageWill belong to the agency

(10) In case of any kind of accident or mishap due to the operation of making the lake Which that department will not be responsible for. Whose full responsibility will rest with the agency.

(11) Regarding the completion of excavation work of the lake as per the requirement

Panchkayas in the presence of Sarpanch Shri, Talati cum Minister Shri & five (5) village leadersThe record of Kari should be kept in the Gram Panchayat Daftar.

(12) Taluka Panchayat Ankleshwar's M.E.A.M.E. Will have to operate under the supervision of.

And the required records have to be submitted to the office here.

(13) Research. To strictly implement the circulars of Geologist mentioned in No. (2) Will remain.

(14) Under progress before the commencement of the work and after completion of the work Photographs must be taken from a single angle. And it will have to maintain a record.

(15) Government's Circular Resolution No. Perch/2019/2144 MICEL Dated 17/02/2020Strictly implemented accordingly. And soil obtained from excavation workIn government works under progress or in farmers' farms or in public worksWill be able to consume.

(16) Circular Resolution No.PARACH/SU.SU.J.A./2019/15/PART 2/K-3 DATED : 20/4/2020 of the Government Strictly implement the instructions given in the resolution dated 2006-2050 Will have to be done.

(17) To carry out operations subject to the resolutions and circulars of the Secretary from time to time. As well as binding.

(18) The latest global epidemic Covod-19 frequently lock-down That work has to be done as per the guidelines of Indian government.

District Development Officer

Ankleshwar

Copy to

1. Report to Nodal Officer Shri (Sujalam Sufalam Jal Abhiyan-2021) Co-Executive Engineer Shri, Panchayat Irrigation Department Bharuch.

2.Geologist, Department of Mines and Minerals, Bharuch.

199/809/822

11: 21/02/2020

FORM E (GRANT ORDER)
FORMAT OF QUARRY PERMIT
(See rule 22(1))

Quarry Permit No : QP1601018713

Application No. : PA160103403

BHARUCH Office

Date : 25/02/2020

Whereas Shri UMIYA CORPORATION applied for grant of quarry permit for excavation and removal of metric tonnes of 20000.00 (Ordinary Clay) from Survey No. 1020 of Village MANUBAR Taluka BHARUCH District BHARUCH under rule 21 of the Gujarat Minor Mineral Concession Rules, 2017 and has paid an application fee of rupees 5000.00 pursuant to the requirements of rule 22(1) of the Gujarat Minor Mineral Concession Rules, 2017. Accordingly, permission is hereby granted to the above applicant to quarry, win and remove 20000.00 metric tonnes of (Ordinary Clay) from the aforesaid area more fully described below on the following condition.

Village MANUBAR

Boundaries

On North : AS PER MAP	On West : AS PER MAP
On South : AS PER MAP	On East : AS PER MAP

Co-Ordinates

Latitude	Longitude
21.43.17.790	72.56.4.190
21.43.17.060	72.56.1.280
21.43.14.660	72.56.1.890
21.43.15.390	72.56.4.000

(as shown in the detailed plan along with the co-ordinates annexed with the application)

Village	Taluka	District	Survey No	Field Area (Approx. in Hectares)	Mineral	Quantity (metric tonne)
MANUBAR	BHARUCH	BHARUCH	1020	Pvt. Area 01.12.30	Ordinary Clay	20000.00

Payment to be done by Applicant

Particulars	Total Amount (in Rs.)
Royalty	500000
Permit Premium	250000
Security Deposit	100000
DMF	50000
TCS	15000

1. This permit shall be activated by concerned District Geologist / Asst. Geologist on successful payment mentioned above. The validity of the permit shall be 60 days from the date of activation.
2. The depth of the pit below the surface shall not exceed 6 metres.
3. This permit is non-transferable. No other mineral except that for which the permit is granted shall be excavated or removed without proper sanction being obtained from the officer authorised of the Government.
4. When the mining of ninety per cent of the quantity of the mineral is finished, the quarry permit holder shall inform the District Geologist/ District Assistant Geologist and then, the District Geologist/ District Assistant Geologist shall carry out an inspection of the mining area. Even the quarry permit holder should be vigilant enough to be alert to get the inspection on time. The quarry permit holder should be careful to take precautions not to dig or to mine more mass than what is permitted to him.
5. The quarry permit holder should adhere to all terms and conditions pertaining to quarry permit stated under the Gujarat Minor Mineral Concession Rules 2017.
6. The quarry permit holder should dig out and transport the allowed mineral only from the permitted areas of the quarry within the limits of quantity endorsed under this permit.
7. The quarry permit holder should implement and maintain the procedure of transit permit or the equivalent mandatorily.
8. If any other minor or major mineral is found during quarrying operations, it shall be reported to the officer authorised of the Government within a week's time after such discovery.
9. The permit holder shall maintain complete and correct accounts of the minerals excavated, quantity removed from the permit area, wages paid and royalty and other charges leviable for this purpose.
10. The permit holder shall allow the District Geologist/ District Assistant Geologist to verify the books of accounts maintained in relation to the mining of the said mineral. The District Geologist/ District Assistant Geologist should also visit the site in question, to tally the amount of quantity actually dug out with the amount of quantity mentioned in the books of accounts of the permit holder. Then, the facts found during the inspection shall be reported to the Commissioner of Geology and Mining by the District Geologist/ District Assistant Geologist.
11. In the event that the royalty rates are increased by the Government during the tenure of the quarry permit, the permit holder shall pay to the Government, within fifteen days of the date of such notification, the additional royalty, permit premium, security deposit and district mineral foundation contribution amounts.
12. The permit holder shall not commence any quarrying operations without obtaining all applicable environmental clearances for the area.
13. The permit holder shall allow the District Geologist/ District Assistant Geologist to enter and inspect, at any time, the quarrying and mining operations.
14. The permit holder shall immediately report all accidents to the officer authorised of the Government and the District magistrate and the District Superintendent of police of the district in which the permit area is situated.
15. The permit holder shall have no right over the quarry material and other property lying in the permit area after the expiry of the permit.
16. The permit holder shall not cut or damage any trees without prior sanction and without payment of compensation therefore as may be fixed by the Divisional forest Officer or such officer authorised by him in this behalf.

7. If any excess quantity over that permitted quantity is found to be removed, the permit holder shall be liable to pay the amount equal to the value of mineral so removed and shall be liable for punishment under the provisions of the Indian Penal Code, 1860 and the Gujarat Minor Mineral Concession Rules, 2017.
 18. If any breach of these conditions or the provisions of section 15 and section 23C is detected, this permit shall be terminated and the material lying on the site will be seized and dealt with in accordance with applicable laws.
 19. Every transportation vehicle of the said mineral should have to be weighed and the receipt of weighing should have to be kept safely on record, mandatorily by the permit holder.
 20. As soon as the removal of the material granted under the permit is over, the permit holder shall furnish to the District Geologist/ District Assistant Geologist a complete statement showing the quantities removed, details of transport and usage, parties to whom this material has been sold and prices obtained therefor, and shall produce any details, books etc., for the scrutiny to the District Geologist/ District Assistant Geologist as may be called for by him.
 21. After submission of the information contemplated vide para 20 above, District Geologist/ District Assistant Geologist shall visit the area for which permit was given within fifteen days and conduct such survey as may be deemed appropriate to check compliance with the terms of the relevant quarry permit. The said officer shall thereafter submit his report within fifteen days of aforesaid survey to the Commissioner of Geology and Mining.
- The findings pursuant to para 21 above shall be factored in for determining the final settlement with the quarry permit holder.

(Note approved by the collector)

[Signature]
Geologist

BHARUCH

Date :

CC to - Sarpanchshri Village - MANUBAR, Taluka - BHARUCH

- Mamlatdarshri Ta. - BHARUCH

- Surveyor, Geology and mining dept.

Bank Transaction Report

Total Amount Received: 765000.00

Order Code : QP1601018713

Order Name : UMIYA CORPORATION MANUBAR 1020 01

	Account Name	Account No	Product	Payment Type	Received Amount	Received Date	UTCR No	Refund Code
1 Quarry Lease	BHARUCH	BHARUCH	Ordinary Clay	TCS	9.80	20/02/2020	AXIC200514851031_TC S	8530010201
2 Quarry Lease	BHARUCH	BHARUCH	Ordinary Clay	Royalty	490.20	20/02/2020	AXIC200514851031	8530010201
3 Quarry Lease	BHARUCH	BHARUCH	Ordinary Clay	TCS	14984.20	20/02/2020	UTIBR52020022000670 622_TCS	8530010201
4 Quarry Lease	BHARUCH	BHARUCH	Ordinary Clay	Royalty	749515.80	20/02/2020	UTIBR52020022000670 622	8530010201

Chalan No. / ચલણ નં.- ૧૦૬૮

કોડ નં.

Chalan of Case Paid into the Treasury / Sub- Treasury/State/Reserve Bank of India At.....		
ખાતેની તિજોરી/પેટા તિજોરી/સ્ટેટ/રિઝર્વ બેંક ઓફ ઇન્ડિયામાં ભરેલી રોકડ રકમનું ચલણ.		
To be filled in by the remitter નાણા મોકલનારે ભરવાનું		To be filled in by the Department Office or the Treasury ખાતાના અમલદારે કે તિજોરીએ
By Whom Rendered (Name) નાણા કોણે પેશ કર્યા (તેનું નામ)	ઉમીયા કોર્પોરેશન	Head of Account હિસાબનું સદર
Name (or designation) and address of the person on whose behalf money is paid જેના તરફથી નાણાં ભરવામાં આવ્યા હોય તે વ્યક્તિનું નામ અને સરનામું	રહે. ૧૮૮, ગોલ્ડન પ્લાઝા, કામરેજ ચાર રસ્તા, કામરેજ, જી. સુરત	૮૪૪૩- સીવીલ ડીપોઝીટ ૧૦૩- સીક્યોરીટી ડીપોઝીટ ૦૦- સીક્યોરીટી ડીપોઝીટ ૮૪૪૩૦૦૦૧૦૩૦૦
Full particulars of the remittance and the authority (if any) મોકલેલા ભરણાની પુરેપુરી વિગત અને તેચંગેનો હુકમ	Amount રકમ	Order to the bank બેંકને હુકમ બરાબર છે નાણાં સ્વીકારી પહોંચ આપવી
મોજે. મનુબર, તા. ૬ જી-ભરૂચ ના સવે નં- ૧૦૨૦ (ખાનગી માલિકી) ના ૦૦-૬૫-૮૩ હે. વિસ્તાર માંથી ૨૦૦૦૦ મે.ટન સાદી માટી ખનીજની કવોરી પરમીટ મેળવવાની અરજી અન્વયે ભરવાપાત્ર સિક્યોરીટી ડીપોઝીટ ની રકમ.	૧,૦૦,૦૦૦/-	Date. તારીખ- ભુસ્તર શાસ્ત્રી ભુસ્તર વિજ્ઞાન અને ખનિજ ખાતુ, ભરૂચ.
Signature સહિ.	Total. કુલ.	નાણાં ભરનારને હુકમ કરનાર અધિકારીની સહિ તથા હોદ્દો
1, 00, 000/-	૧,૦૦,૦૦૦/-	સરકારી અધિકારી દ્વારા બેંકને થતા ભરણા વખતે ઉપયોગમાં લેવું 26 FEB 2020
(શબ્દોમાં) રૂપિયા - એક લાખ રૂપિયા પુરા/-		
Received Payment રૂ..... પેસા..... મળ્યા.	Date તારીખ.....	
Treasurer - ખજાનચી	Accountant - હિસાબનીશ	Treasury Officer/Agent - તિજોરી અધિકારી/એજન્ટ

जमा / जमा पर्ची / Deposit / Pay-in-Slip

SBI भारतीय स्टेट बैंक / **STATE BANK OF INDIA**

Bharuch Main Br. DATE 24/02/2020
 Branch Code - 00339 SB/CA/RD/OD/CC/TL/DL A/c. No./Credit Card No.

3	6	2	0	4	1	2	0	2	6		
---	---	---	---	---	---	---	---	---	---	--	--

नाम/Name B. K. J. Maheshwar
 राशि/Amount (₹) 50,000/-
 Rupees (in words) पचास हजार

Details of Cash / Cheque	₹	P.
500 x 100	50,000	
<i>Prepaid</i> Total		

Item Code - 106101002

SWO / Passing Officer SBI toll free 18004253800, 1800112211

ચલણ નં. ૨૫		કોડ નં. I	
ખાતે ની તિજોરી / પેટા તિજોરી / સ્ટેટ / રિઝર્વ બેંક ઓફ ઇન્ડિયા માં ભરેલી રોકડ રકમનું ચલણ.			
નાણા મોકલનારે ભરવાનું		ખાતાના અમલદારે કે તિજોરીએ ભરવાનું	
નાણા કોણે પેશ કર્યા (તેનું નામ)	શ્રી ઉમીયા કોર્પોરેશન	હિસાબનું સદર	
ફેના તરફથી નાણા ભરવામાં આવ્યા હોય તે વ્યક્તિનું નામ (અથવા હોદ્દો) અને સરનામું	રહે. ૧૮૮, ગોલ્ડન પ્લાઝા, કામરેજ ચાર રસ્તા- સુરત.	૦૮૫૩ બીન લોહ ખનન અને ધાતુ ઉધ્યોગ ૧૦૨ ખનિજ છુટછાટ ફી ભાડુ અને રોયલ્ટી (રેતી, કંકર અને મોરમ સિવાય/ઉપર)	
મોકલેલા ભરણાંની પૂરેપૂરી વિગત અને તે અંગેનો હુકમ (કોઈ હોય તો)	રકમ	* બેંક ને હુકમ	
મોજે. મનુબાર, તા.જી. ભરૂચ ના સર્વે નં. ૧૦૨૦ પેકી ખાનગી માલિકીમાં મળેલ પરમીટમાં ૭૪૩.૮૧ મે.ટન બિનઅધિકૃત સાદી માટી ખનિજ ખાણકામ કરવા બાબત. (સીક્યોરીટી ડીપોઝીટ બાદ આપવામાં આવેલ છે)	૩૦,૧૬૭	બરાબર છે નાણા સ્વીકારી પહોંચ આપવી.	
		ભૂસ્તરશાસ્ત્રી,	
		ભૂસ્તર વિજ્ઞાન અને ખનીજ ખાતું,	
		ભરૂચ	
		* સરકારી અધિકારી દ્વારા બેંકને થતા ભરણાં વખતે ઉપયોગમાં લેવું.	
સહી	કુલ રૂ. (શબ્દોમાં) રૂપિયા	૩૦,૧૬૭	અંકે રૂપિયા ત્રીસ હજાર એક સો સડસઢ રૂપિયા પુરા
૩	પેસા	૩૦	તિજોરી અધિકારી/એજન્ટ



Form VI

(Under Rule 25(1) of the Contract Labour (Regulation and Abolition) Central Rules, 1971)

**Government of India
Office of the Licensing Officer
LICENCE**

Licence No: **CLRA/RLCVADODARA/2018/L-62**

Date: **26-Sep-2018**

1. Licence is hereby granted to **Ashoka Buildcon Ltd, HOUSE NO 9, SHAMIM PARK COOPERATIVE SOC DHEJ ROAD, BAHARUCH, Bharuch - 392001**, through **YOGESH TIWARI ASSISTANT VICE PRESIDENT** under sub-section (1) of section 12 of the Contract Labour (Regulation and Abolition) Act, 1970 (37 of 1970) subject to the conditions specified in the Annexure.
2. Name and Location of work **CONSTRUCTION OF EIGHT LANE VADODRARA KIM EXPRESSWAY, for VADODARA KIM EXPRESSWAY, BHARUCH, BHARUCH, Bharuch, Gujarat - 392001**
3. Name of the principal employer **MR SHASHI BHUSHAN , 301-304, Krishna Con-arch - I, Plot No.9, Near Kotecha Chowk, University Road, SURAT, Rajkot, Gujarat - 360007**
4. Registration Certificate no. **BRC ALC REG 46 21 2006** and date of **19-Dec-2006** of the principal employer.
5. The licence shall remain in force till **25-Sep-2019** (date to be indicated).
6. Maximum number of contract labour to be employed on a single day under the licence: **300 +**
7. Fee Paid Rs **INR 300** (Transaction Id : **2609180002268**) **+ 75/-** $\frac{300}{600}$
8. Security Deposit **INR 27000** (Transaction Id : **2609180002289**) **+ 27000/- D.D. No. 063685**
Dtd. 19.8.2019
9. Remarks by Licencing Officer: **approved**

Amended on 15.9.19

**R.L.C.(C)
Vadodara**

ANNEXURE

1. The licence shall be non-transferable.
2. The numbers of workmen employed as contract labour in the establishment shall not, on any day, exceed the maximum number specified in the licence.

Abolition) Act, 1970 (37 of 1970) intimating the actual date of the commencement or, as the case may be, completion of such contract work in Form - VII.

eSign/DSC of Licensing Officer

Ram Gopal Meena (RLC(C))

RLC Vadodara (RLCVADODARA)

rlc.baroda-gj@nic.in

Note: *This is an online application summary applied on Shram Suvidha Portal.*

Signature Not Verified

Digitally signed by User
Date: 2018.09.26 17:26:36 IST





M/S ASHOKA BUILDCON LTD

LICENCE NO. CLRA/RLCVADODARA/2018/L-62

DATE: 26-9-2018

RENEWAL (RULE 29)

SR. NO.	DATE OF RENEWAL	FEE PAID FOR RENEWAL	DATE OF EXPIRY	SIGNATURE & SEAL OF THE LICENSING OFFICER
1.	09.8.2019	300/-	25.09.2020.	 R.L.C.(C) Vadodara
2.	26.10.2020	500/-	25.09.2021.	 R.L.C.(C) Vadodara

Regd. AD



GOVERNMENT OF INDIA
MINISTRY OF LABOUR & EMPLOYMENT
OFFICE OF THE REGIONAL LABOUR COMMISSIONER (CENTRAL)
CHANDRAPRABHA FLAT NO. 2, KRISHNANAGAR SOCIETY OPPOSITE MOTI BAUG
VADODARA -390001

NO. CLRA/RLCVADODARA/2018/L-62

Date: 09-8-2019

To,

M/S. ASHOKA BUILDCON LTD
REP THROUGH SHRI ASHOK KATARIYA, DIRECTOR,
HOUSE NO. 9, SHAMIM PARK COOPERATIVE SOC DAHEJ
ROAD, BHARUCH- 392 001

Sub: The Contract Labour (Regulation and Abolition) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971 – Application for Renewal of Licence for the work of work of
“Construction of Eight Lane Vadodara Kim Expressway ”

Dear Sir,

Please refer your application dated 07-8-2019 for renewal of licence. The Licence bearing No. CLRA/RLCVADODARA/2018/L-62 dated 26-9-2018 duly renewed up to 25-9-2020 for 300 workmen in accordance with Rule 29(2) of C.L (R & A) Central Rules, 1971 is enclosed.

Please acknowledge the receipt.

Yours faithfully,

[GOUTAM MOITRA]
Licensing Officer under C.L. (R & A), Act, 1970 and
Regional Labour Commissioner (Central)
Vadodara

Copy forwarded to :-

1. The Dy. Chief Labour Commissioner (Central), Ahmedabad.
2. The Labour Enforcement Officer(C)-Vadodara
3. The General Manager & Project Director, National Highways Authority of India, (Project Implementation Unit) Surat (Expressway), 301-304, VIP High Street, Opp Rongta Arcade, VIP Road, Vesu, Surat - 3950074

REGISTERED A.D.
TELEFAX (0265) 2433 894

GOVERNMENT OF INDIA
MINISTRY OF LABOUR & EMPLOYMENT
OFFICE OF THE REGIONAL LABOUR COMMISSIONER (CENTRAL)
CHANDRAPRABHA FLATS, NO.2, KRISHNANAGAR SOCIETY, OPP.MOTI BAUG,
BARODA : 390 009.

NO.CLRA/RLCVADODARA/2019/L-62

Date : 16.09.2019

To

✓ Shri Yogesh Tiwari,
Assistant Vice President,
M/s.Ashoka Buildcon Ltd.,
House No.9, Shamim Park Cooperative Society,
Dahej Road,
Bharuch : 392 001.

Sub: The Contract Labour (Regulation and Abolition) Act, 1970 and the Contract Labour
(Regulation and Abolition) Central Rules, 1971 -amendment of licence.

Ref: Your application/letter dated 23.08.2019.

Dear Sir,

Your original licence is hereby returned duly amended and added 300 labours in accordance
to Rule 28 of the Contract Labour (Regulation and Abolition) Central Rules, 1971.

Please acknowledge the receipt.

Yours faithfully,



[GOUTAM MOITRA]
Licensing Officer under C.L.(R&A) Act, 1970 and
Regional Labour Commissioner (Central).
Vadodara.

Copy forwarded to :

1. The Dy.Chief Labour Commissioner (Central), Ahmedabad.
2. The L.E.O.(C), Vadodara.
3. The General Manager & Project Director, National Highways Authority of India [Project Implementation Unit], Surat (Expressway), 301-304, VIP High Street, Opp.Rongta Arcade, VIP Road, Vesu, Surat.

/

Licensing Officer under C.L.(R&A) Act, 1970 and
Regional Labour Commissioner (Central).
Vadodara.



GOVERNMENT OF INDIA
MINISTRY OF LABOUR & EMPLOYMENT
OFFICE OF THE REGIONAL LABOUR COMMISSIONER (CENTRAL)
CHANDRAPRABHA FLAT NO. 2, KRISHNANAGAR SOCIETY OPPOSITE MOTI BAUG
VADODARA -390001

NO. CLRA/RLCVADODARRA/2018/L-62

Date: 26-10-2020

To,

M/ ASHOKA BUILDCON LTD
REP THROUH SHRI ASHOK KATARIYA DIRECTOR
HOUSE NO. 9 SHMIM PARK COOPERATIVE SOC. DAHEJ
ROAD BHARUCH - 392 001

Sub: The Contract Labour (Regulation and Abolition) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971 – Application for Renewal of Licence for the work of work of “Construction of Eight Lane Vadodara KIM Expressway for Vadodara KIM Expressway Bharuch ” .

Dear Sir,

Please refer your application submitted on 17-8-2020 and re-submitted on 25-9-2020 for renewal of licence. The Licence bearing No. CLRA/RLCVADODARA/2018/L-62 dated 26-9-2018 duly renewed up to 25-9-2021 for 600 workmen in accordance with Rule 29(2) of C.L (R & A) Central Rules, 1971 is enclosed.

Please acknowledge the receipt.

Yours faithfully,


[SAGAR PRADHAN]

Regional Labour Commissioner (Central)
Vadodara

Copy forwarded to :-

1. The Dy. Chief Labour Commissioner (Central), Ahmedabad.
2. The Labour Enforcement Officer(C)-Vadodara
3. The General Manager & Project Director, National Highways Authority of India, (Project Implementation Unit) Surat (Expressway), 301-304, VIP High Street, Opp Rongta Arcade, VIP Road, Vesu, Surat - 3950074

Employees Compensation Insurance Policy Schedule

Policy Number : 170122127110006024		Proposal No : R27052143075	
Insured : M/S ASHOKA BUILDCON LIMITED AND ASHOKA ANKLESHWAR MANUBAR EXPRESSWAY PVT LTD AND NHAI AND ITS SUB CONTRACTOR		Period Of Insurance : From 27/05/2021 to 26/09/2021 (both days inclusive)	
Communication Address & Place of Supply: Plot No-1 TPS -36, Althan UM Road , Surat, SURAT, SURAT, GUJARAT, 395007,		Policy Issuing Office Address: RELIANCE CENTRE SOUTH WING,4TH FLOOR,OFF.WESTERN EXPRESS HIGHWAY,SANTACRUZ(EAST),MUMBAI -400 055	
Business : Road Construction, Civil Construction Works and Power Projects		Policy servicing address : A Block, Heritage House, Ground floor, 6 Ramabai Ambedkar Road, PUNE PUNE MAHARASHTRA 411001	
Details of previous policy (if renewal) : 170422027110000838		Date of proposal & declaration : 28/05/2021	
Previous policy No : 170422027110000838			
Mobile No :		Email IE:	
GSTIN/UIN of the Insured : 24AABCA9292J1ZG		Tax Invoice No. & Date : R27052143075 & 28/05/2021	
Risk Locations : Construction of eight lane Vadodara kim Expressway from km 279.00 to km292.00 ,(Ankleshwar to Manubar section of Vadodara Mumbai Expressway) in the state of Gujarat,,,ANKLESHWAR,GUJARAT,393120			
Laws : The Policy covers Liability of the Insured under the following Law(s) shown as covered, subject to claim being otherwise admissible as per terms, conditions and exclusions of the Policy and subject to Limit of Indemnity as stipulated against each.			
	Law / Act	Limit of Indemnity	Coverage
a)	Employee's Compensation Act, 1923 and subsequent amendments thereof prior to the	Subject otherwise, to the terms, conditions & Exclusions of the Policy, the amount of liability incurred by the insured as per act for any death/PPD/TTD/PTD arising out of an accident.	Yes
b)	The Fatal Accidents Act, 1855	Subject otherwise, to the terms, conditions & Exclusions of the Policy	Yes
c)	Common Law	Subject otherwise, to the terms, conditions & Exclusions of the Policy	Yes

Premium Details	Amount (`)
Net Premium	30,475.12
IGST (18%)	5,485.52
Total Premium (`)	35,961.00

Consolidated Stamp duty Paid vide Letter of Authorisation No. CSD/53/2020/1645 dated 23rd July 2020** Not Applicable for the State of J&K

GSTIN : 27AABCR6747B1ZG, SAC 997139

Description of services : Other non-life insurance services (excluding reinsurance services)

પિના સહકાર્ય નહિ ઉદ્યાર

દહેગામ ગ્રામ પંચાયત

મું.પો. દહેગામ, તા.જી. ભરૂચ.
પીન કોડ નં. ૩૯૨૦૧૨(ગુજરાત-ઇન્ડીયા)

સરપંચ

ઇલ્યાસ. વી. પટેલ

મો. ૯૮૨૪૪૨૫૦૩૫



DAHEGAM GAM PANCHAYAT

At. & Po. Dahegam, Ta. Di. Bharuch.
Pin Code No. 392012 (Guj.-India)

SARPANCH

ILYAS. V. PATEL

MO.: 9824425035

To,
Ashoka Bulldcon Ltd.
Village -Dahegam,
Taluka & District Bharuch
Pin 392012

Ref: - Your Letter No. ABL/NHAI/Expressway/VME-PKG IV/2018-19/site /001 dated 27.06.2018

Sub: Construction of Six/Eight Lane of Vadodara Kim Expressway From Km 279.00 to Km 292.00 (Ankleshwar to Manubar Section of Vadodara Mumbai Expressway) in the State of Gujarat under NHDP Phase -VI on HAM mode (Phase IA-Package IV)- "Consent letter for establishment of Base Camp" -Reg

Dear Sir,

This is to inform you that, our Gram Panchayat has not any objection for above mentioned work to be done by you as per the Government Rules & Regulation on the land acquired in Vadodara Kim Expressway at village: Dahegam- 392012. Taluka District Bharuch.

If villagers have any problem or any objection then you will be responsible for that.

As per your application in acquired land of expressway, your establishment of Labour Camp, Office, Store Room, weigh bridge, R.M.C. Plant, Diesel pump, Aggregate Stock yard, Boring, Sand Stock yard, and etc. exclusively for construction of Expressway shall be done as per Government Rules & Government permission. We do not have any objection for construction of the same.

Place: Dehgam.Takula Bharuch District Bharuch

(Signature)
સરપંચ
દહેગામ ગ્રામ પંચાયત
તા.જી. ભરૂચ.

2





Annexure-II

भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम:- विस्फोटक विभाग | Formerly:- Department of Explosives
अठिबी मंजिल, यश कमल बिल्डींग | 8th Floor, Yash Kamal Building,
सयाजी गंज वडोदरा | Sayajigunj Vadodra 390020
फोन (Phone):- 2225159 | फैक्स (Fax):-
ई-मेल Email: dycecbardara@explosives.gov.in

दिनांक (Date): 27/03/2017

संख्या (No.): E/IIQ/GJ/22/218(E70942)

सेवा में | To,

M/s. Amarnath Enterprises,
H. No. 56, Lake City, Village Baben, Tehsil Bardoli, Town/Village -
District-SURAT, State-Gujarat, Pincode - 394602

विषय : Survey No. Survey No. 109, ग्राम Village Choki, Tehsil Zhagadia, जिला BHARUCH, राज्य Gujarat में विस्फोटक के
मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/IIQ/GJ/22/218
(E70942) के नवीनीकरण संदर्भ में।
Subject: Possession for Use of of Explosives from magazine situated at Survey No.: Survey No. 109, Village Choki, Tehsil
Zhagadia, Dist. BHARUCH, Gujarat -Licence No.: E/IIQ/GJ/22/218(E70942) granted in Form LE-3 of Explosives Rules
2008 - Renewal regarding

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या - दिनांक 17/03/2017 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-3 में जारी
अनुज्ञप्ति दिनांक 31/3/2022 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।
Reference to your letter No.: - dated: 17/03/2017, the subject licence duly renewed upto 31/3/2022 and issued in Form LE-3 of Explosives
Rules, 2008 is forwarded herewith.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/2022 से पहले इस कार्यालय को भेजे जाएं
For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2022.

- प्ररूप आरई-1 में विधिवत पूर्ण एवं हस्ताक्षरित आवेदन।
Application in Form RE-1 duly filled in and signed.
- एक से पाँच वर्ष के अनुज्ञप्ति शुल्क का बैंक ड्राफ्ट। बैंक ड्राफ्ट किसी भी राष्ट्रीयकृत बैंक के नाम आहरित, संयुक्त मुद्रण
विस्फोटक नियंत्रक, मुंबई के पक्ष में मुंबई में देय हो।
Licence fees for one to five years in the form of demand draft drawn on any Nationalized Bank in favour of Jt. Chief Controller
of Explosives, Mumbai payable at Mumbai.
- अनुमोदित प्लान के साथ मूल अनुज्ञप्ति।
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।
In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- विस्फोटकों के क्रय हेतु आरई-11 में मांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाए
(आतिशबाजी गोदाम के लिए लागू नहीं)।
Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office. (Not
applicable for fireworks store house)
- कृपया विस्फोटकों की त्रैमासिक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाएं। विवरणी इस कार्यालय के कार्यालय
में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं)। Please submit quarterly
returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter. (Not applicable
for fireworks store house)
- सभी ब्लास्टिंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो।
हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग आपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम
से निर्धारित हो।
All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules.
However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications
prescribed in the regulations framed under the said Act.

आपके खाते में रु. 2500/- की राशि शेष है जो इस संदर्भ को उद्धृत करते हुए भविष्य के संचयवहार में समायोजित की जा सकती है।
An amount of Rs. 2500/- balance is in your credit, which may be utilized for future transaction by quoting this reference.

nil

(P.T.O.)

3



Scanned with CamScanner

LICENCE FORM LE-3
(See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

Licence to possess : (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7 in a magazine

Licence No. : E/11Q/GJ/22/218(E70942)
Annual Fee Rs:7500/-



1. Licence is hereby granted to : **M/s. Amarnath Enterprises (Occupier : Ratanlal Laxminarayanji Jagetiya)**
H. No. 56, Lake City, Village Baben, Tehsil Bardoli, Town/Village -
District-SURAT, State-Gujarat, Pincode - 394602
2. Status of licensee : **Partnership Firm**
3. Licence is valid only for the following purpose : **possess for use of Nitrate mixture - Slurry and Emulsion Explosives, Safe Detonating Fuse, Electric and/or Ordinary Detonators,**
4. (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Qty at any one time
1.	Nitrate mixture - Slurry and Emulsion Explosives	2.0	0	4000 Kg.
2.	Safety Fuse	6.1	0	4000 Mtrs
3.	Detonating Fuse	6.2	0	10000 Mtrs
4.	Electric and/or Ordinary Detonators	6.3	0	44000 Nos.

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] : **10 times as above.**

5. The licensed premises shall conform to the following drawing(s):
Drawing No : E/11Q/GJ/22/218(E70942) dated : 03/03/2014
6. The licensed premises are situated at following address:
Survey No. Survey No. 109 . Town/Village : **Village Chokli, Tehsil Zhabadia**
Police Station : **Zagadiya** District : **BHARUCH** State : **Gujarat**
PinCode : Phone : **9687046746** E-Mail : Fax :
7. The licensed premises consist of following facilities : **A Main High Explosives Storage Room, A Lobby & A Detonators storage Room**
8. The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.
(1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
(2) Conditions and Additional Conditions of this licence signed by the licensing authority.
(3) Distance Form DE-2
9. This licence shall remain valid till **31st day of March 2017**

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

The Date: 28/02/2013

31/03/2022

Chief Controller of Explosives

Transfers :

- Change in Authorized Signatory/Occupier/Partners/Directors dated : 26/03/2013
- Change in Licensee Name/Address/Status dated : 03/03/2014

Endorsement for renewal of licence

Date of Renewal

Date of Expiry

Signature of licensing authority

Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.



Directorate Industrial Safety & Health



Gujarat State
Directorate Industrial Safety & Health

Gujarat State
License to work a factory
FORM NO. 4

Registration No. 1443/23951/2019 (Prescribed under Rule 5)
FIN. S06038741A

License No. 38741
D.A. 01-May-2019

License to work a factory

License is hereby granted to

Mr. SANJAY PRABHAKAR LONDHE

For the premises known as

ASHOKA BUILDCON LIMITED

situated at

VILLAGE DAHEGAM

Ta.: Bharuch Dist.: Bharuch

for use as a factory within the limits specified in the plan approved by the

Joint Director Industrial Safety and Health, Surat Region

vide No. 6440 Date 20-Jun-2019 subject to provisions of the

Factories Act, 1948 and the Rules made thereunder.

The license is issued for:

- Maximum Number of workers to be employed on any day during the Year : **20**
- Maximum installed power in B.H.P. on any day during the year : **500**

The license is valid up to 31st December 2020.

Fees paid Rs. 5,200.00

Fees due Rs. 5,200.00

Excess Rs. 0.00

Place : Surat

Date : 20-Sep-2019

Signature valid

Digitally signed by BAMA S A SURDISH
CHAMPALAL
Date: 2019.09.20 15:29:05 +05:30
Reason: Approval
Location: Surat



Joint Director
Industrial Safety and Health
Surat Region

OFFICE OF THE ELECTRICAL INSPECTOR

Office of the Electrical Inspector, B-Block, 7th Floor, Room No.701, Narmada Bhavan, Jail Road, Vadodara.

No/EI/Vad/Certi/24319/2019

E-mail :
ei-ced-vad@gujarat.gov.in

ph no : 0265 2433290

Date : 18/10/2019

fax no :

To

Ashoka Buildcon Limited

Ashoka Ankleshwar to Manubar expressway Private Limited, Vadodara Mumbai Expressway

Vi.Bharuch (M)

Ta.Bharuch

Dist.Bharuch, 392012

Subject Initial inspection for the electrical installation of 1 x 125.0 KVA Diesel Based Standalone Mode of operation + 1 x 320.0 KVA Diesel Based Standalone Mode of operation CGP(s) along with associated equipments at Ashoka Buildcon Limited, Ashoka Ankleshwar to Manubar expressway Private Limited, Vadodara Mumbai Expressway, Vi.Bharuch (M), Ta.Bharuch, Dist.Bharuch, Gujarat, 392012.

Sir,

Initial Inspection of the Electrical Installation of 1 x 125.0 KVA Diesel Based Standalone Mode of operation + 1 x 320.0 KVA Diesel Based Standalone Mode of operation CGP(s) at Ashoka Ankleshwar to Manubar expressway Private Limited, Vadodara Mumbai Expressway, Vi.Bharuch (M), Bharuch, Bharuch, Gujarat, 392012 for Ashoka Buildcon Limited has been carried out by EI, Vadodara on 18/10/2019 and the same is found in order in accordance with the drawing approved vide this office letter No: No/EI/Vad/Plan/24228/2019, Date: 17/10/2019. The details of the same are as following.

Details of Installation

No.	Particular	CGP		
		Engine	Alternator	Energy Meter
1.	Make	cummins india Ltd.	Stamford	HPL
2.	Capacity	399.00 HP	320.0 KVA	-----
3.	Sr. No.	84505144	N16I362409	1K149130
4.	Volt	-----	415	0.24
5.	Amp.	-----		
6.	RPM	1500	-----	-----
7.	C.T. Ratio	-----	-----	600/5
8.	P.T. Ratio	-----	-----	0
9.	Dial M.F.	-----	-----	1.0
10.	Final M.F.	-----	-----	120.00
11.	Reading	-----	-----	6
12.	Seal No. of Terminal Cover	-----	-----	1594
13.	Seal No. of MMB	-----	-----	1595

No.	Particular	CGP		
		Engine	Alternator	Energy Meter
1.	Make	cummins India Ltd	Stamford	HPL
2.	Capacity	154.00 BHP	125.0 KVA	-----
3.	Sr. No.	62513152	06103055	1K149125

4.	Volt	-----	415	0.24
5.	Amp.	-----		
6.	RPM	1500	-----	-----
7.	C.T. Ratio	-----	-----	200/5
8.	P.T. Ratio	-----	-----	0
9.	Dial M.F.	-----	-----	1.0
10.	Final M.F.	-----	-----	40.00
11.	Reading	-----	-----	3
12.	Seal No. of Terminal Cover	-----	-----	1589
13.	Seal No. of MMB	-----	-----	1590

As provided under the Regulation 32 of the Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulation, 2010 permission is hereby granted to energize the above installation along with the associated equipments.

Your's Faithfully

VIJAY KANTILAL PUROHIT
ELECTRICAL INSPECTOR
Vadodara

Copy forwarded to:

Applicant
Executive Engineer (DGVCL)

OFFICE OF THE ELECTRICAL INSPECTOR

Office of the Electrical Inspector, B-Block, 7th Floor, Room No.701, Narmada Bhavan, Jail Road, Vadodara.

No/El/Vad/Plan/24228/2019

E-mail :
ei-ced-vad@gujarat.gov.in

ph no : 0265 2433290

Date : 17/10/2019

fax no :

To

Ashoka Buildcon Limited

Ashoka Ankleshwar to Manubar expressway Private Limited, Vadodara Mumbai Expressway

Vi.Bharuch (M)

Ta.Bharuch

Dist.Bharuch, 392012

Subject Approval to the drawing for the electrical installation of 1 x 125.0 KVA Diesel Based Standalone Mode of operation CGP(s) + 1 x 320.0 KVA Diesel Based Standalone Mode of operation CGP(s) along with associated equipments at Ashoka Buildcon Limited, Ashoka Ankleshwar to Manubar expressway Private Limited, Vadodara Mumbai Expressway, Vi.Bharuch (M), Ta.Bharuch, Dist.Bharuch, Gujarat, 392012.

Sir,

Referring to your online Application ElectricalInstallation-D-BRC-16-10-2019-14-08-11 on date 16/10/2019, the undersigned is pleased to approve the layout/alteration as shown in the enclosed drawing subject to the conditions that:

1. The work shall be carried out by Licensed Electrical Contractor of the Gujarat State.
2. The work shall be carried out in accordance with the relevant standards of the Bureau of Indian Standards.
3. If the installation is found defective in actual practice or any modification is necessary, you shall have to carry out addition and / or alteration as may be required by this Inspectorate.
4. Adequate fire protection shall be provided as required under the Central Electricity Authority (Measures relating to safety and Electric Supply) Regulations, 2010.
5. The value of earth resistance /I.R value shall be furnished along with the test report on completion of the work
6. Adequate earthing shall be provided wherever required under the Central Electricity Authority (Measures relating to safety and Electric Supply) Regulations, 2010.
7. Safety Provision for Electrical Installations & Apparatus shall be provided as per Regulation 19,44,45,46,47, 48, 49 of the Central Electricity Authority (Measures relating to safety and Electric Supply) Regulations, 2010.
8. This approval doesn't contain approval for any kind of future installations mentioned in approved drawing and this approval is given only for those equipments which incorporated in above mentioned subject.

9. In case of synchronization with grid supply, you will have to submit parallel operation consent of concerned authority (GETCO/DISCOM) before inspection.

10. Separate static metering arrangement having non-programmable meter & digital display with dedicated CT/PT unit/panel having sealing facility must be provided with an accuracy class of 0.5 for static meter as well as CT/PT. The meter shall be having MRI facility.

11. The Meter, CT/PT should be tested and sealed in the laboratory of concern DISCOM or NABL Accredited Laboratory and site sealing certificate from concern DISCOM should be furnished before the inspection is carried out. Details of the same shall be submitted along with the Test Report.

Your's Faithfully

VIJAY KANTILAL PUROHIT
ELECTRICAL INSPECTOR
Vadodara

Encl: As above

Copy along with the drawings forwarded for information to:



भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो)

Petroleum & Explosives Safety Organisation (PESO)

ए-1 और ए-2 विंग, पांचवा तल, केंद्रीय कार्यालय परिसर, सी.बी.डी. बेलपुर

नवी मुंबई (महा.)- 400614

A1 & A2 wing, 5th Floor, C.G.O. complex, CBD Belapur, Navi Mumbai (M.S.),
Mumbai - 400614

E-mail : jtcemumbai@explosives.gov.in

Phone/Fax No : 022 - 27575946, 27573881

दिनांक /Dated : 28/02/2019

संख्या /No. : PWC/GJ/14/5082 (P427484)

सेवा में /To,

M/s. Ashoka Buildcon Limited,
S. No. 861, Ashoka House,,
Ashoka Marg, Vadala,,
Nasik,
Nashik,
Taluka: Nashik,
District: NASIK,
State: Maharashtra
PIN: 422011

6102 37K 90

विषय /Sub : Survey No, 185, Village- Dahegam, Dahegam, Bharuch, Taluka: Bharuch, District: BHARUCH, State: Gujarat, PIN: 392012 में पेट्रोलियम वर्ग B Consumer Pump ।
Petroleum Class B Consumer Pump at Survey No, 185, Village- Dahegam, Dahegam, Bharuch, Taluka: Bharuch, District: BHARUCH, State: Gujarat, PIN: 392012

महोदय /Sir
(s).

कृपया आपके पत्र दिनांक 25/02/2019 का अवलोकन करें ।
Please refer to your letter No. - dated 25/02/2019

विषयान्तरगत पेट्रोल पम्प में निम्नलिखित पेट्रोलियम पदार्थों के वर्ग तथा मात्रा के भंडारण के लिए पेट्रोलियम नियम, 2002 के अधीन प्ररूप - XIV में स्वीकृत तथा दिनांक 31/12/2022 तक वैध अनुमति संख्या PWC/GJ/14/5082 (P427484) दिनांक 28/02/2019 भेजी जा रही है ।

Licence No. PWC/GJ/14/5082 (P427484) dated 28/02/2019 granted in Form XIV under the Petroleum Rules, 2002 and valid till 31/12/2022 for the storage of the following kind and quantities of Petroleum at the subject petrol pump is forwarded herewith.

पेट्रोलियम का विवरण /Description of Petroleum

किलोलीटरों में अनुमति क्षमता /Quantity
licenced in KL

वर्ग A प्रपंज पेट्रोलियम /Petroleum Class A in bulk
वर्ग B प्रपंज पेट्रोलियम /Petroleum Class B in bulk

NIL
40.00 KL

कुल क्षमता /Total Capacity

40.00 KL

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें तथा अनुमति के नवीकरण हेतु समस्त प्रपत्रों को अनुमति की वैधता समाप्ती की तारीख या उससे पूर्व to Dy. Chief Controller of Explosives, Vadodara, so as to reach his कार्यालय को प्रेषित करें । Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to Dy. Chief Controller of Explosives, Vadodara, so as to reach his office on or before the date on which Licence expires.

यह अनुमोदन/अनुमति अन्य प्राधिकारियों से आवश्यक अनुमति/क्लियरन्स प्राप्त करने से या यथा लागू अन्य विधियों से छूट नहीं देती है । This approval/permission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

भवदीय /Yours faithfully,

(डॉ. अनुज कुमार)

(Dr. Anuj Kumar)

विस्फोटक नियंत्रक

Controller of Explosives

कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Jt. Chief Controller of Explosives
नवी मुंबई (महा.)/Mumbai

Copy forwarded to :-

1. The Additional District Magistrate, BHARUCH(Gujarat) with reference to his NOC No POL/NOC/WS/901/2019 Dated 12/02/2019
2. The Dy. Chief Controller of Explosives, Vadodara, A Copy of the licence along with approved plan is enclosed.

For Jt. Chief Controller of Explosives
Mumbai

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट: <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)



मोटर वाहनों में ईंधन डालने के लिए पम्प आउटफिट के संबंध में टैंक या टैंकों में पेट्रोलियम भंडारण के लिए अनुज्ञप्ति
LICENCE TO STORE PETROLEUM IN TANK/S IN CONNECTION WITH PUMP OUTFIT FOR FUELING MOTOR CONVEYANCES

अनुज्ञप्ति सं. (Licence No.): P/WC/GJ/14/6082(P427484)

फीस रुपए (Fee Rs.) 5000/- per year

पेट्रोलियम अधिनियम, 1934 के उपबंधों और उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए 40.00 KL of Petroleum class B को टैंक/टैंकों में भण्डारण मात्र के लिए M/s. Ashoka Buildcon Limited, S. No. 861, Ashoka House,, Ashoka Marg, Vadala,, Nashik, Taluka: Nashik, District: NASIK, State: Maharashtra, PIN: 422011 को नीचे वर्णित अनुज्ञप्त परिसरों में जो कि इससे उपबंध नक्शा संख्या P/WC/GJ/14/6082(P427484) तारीख 28/02/2019 में दिखाया गया है, के लिए विधिमान्य अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to M/s. Ashoka Buildcon Limited, S. No. 861, Ashoka House,, Ashoka Marg, Vadala,, Nashik, Taluka: Nashik, District: NASIK, State: Maharashtra, PIN: 422011 valid only for the storage of 40.00 KL of Petroleum class B in tank/s in the licensed premises described below and shown on the plan no: P/WC/GJ/14/6082(P427484) dated 28/02/2019 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2022 तक विधिमान्य रहेगी।
The Licence shall remain in force till the 31st day of December 2022

February 28, 2019

For Jt. Chief Controller of Explosives
WC, Mumbai

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी सीमाएं संलग्न नक्शे में दिखाई गई हैं Survey No: 185, Village- Dahegam, Dahegam, Bharuch, Taluka: Bharuch, District: BHARUCH, State: Gujarat, PIN: 392012 में स्थित हैं और उसमें निम्नलिखित सम्मिलित हैं:

The licensed premises, the boundaries of which are shown in the attached plan, are situated at Survey No: 185, Village- Dahegam, Dahegam, Bharuch, Taluka: Bharuch, District: BHARUCH, State: Gujarat, PIN: 392012 and consist of:

क पेट्रोलियम वर्ग क परिसर के लिए NIL किलोलिटर क्षमता के/क्रमशः NIL क्षमता के भूमिगत गैस टाईट टैंक, जो विद्युतचालित/हस्तचालित NIL डिस्पेंसिंग पम्पो से जुड़े हुए हैं।

a NIL number(s) underground gas tight tanks of capacity NIL kilolitres respectively of petroleum Class A connected with NIL number(s) electrically/manually operated dispensing pump(s)

ख पेट्रोलियम वर्ग ख/ग परिसर के लिए 20.00+ 20.00 किलोलिटर क्षमता के/क्रमशः 2 क्षमता के भूमिगत गैस टाईट टैंक, जो विद्युतचालित/हस्तचालित 2 डिस्पेंसिंग पम्पो से जुड़े हुए हैं।

b 2 number(s) underground gas tight tanks of capacity 20.00+ 20.00 kilolitres respectively of petroleum Class B connected with 2 number(s) electrically/manually operated dispensing pump(s).

ग एक विक्रय कक्ष/कियोस्क

c A sales room/kiosk

घ सर्विस सम्बन्धी सुविधाएं जिनमें Pump attendant room, D.P.switch, सम्मिलित हैं।

d Servicing facilities consisting of Pump attendant room, D.P.switch. As per attached plan

N.K.PATEL
MEMBER SECRETARY
SEIAA (GUJARAT)



Government of Gujarat

STATE LEVEL ENVIRONMENTAL
IMPACT ASSESSMENT
AUTHORITY
GUJARAT

Annexure IV

No. SEIAA/GUJ/EC/1(a)/2015

Date: 25 MAR 2015

Time Limit

Subj: Environment Clearance for mining of Basalt Stone of Shree Shramdeep Quarry Works (Lease Area: 02-42-82 Ha) at B.No.344,S.No.196,197,198, Vill. Wadi, Ta. Umarpada, Dist: Surat State: Gujarat.....Mining project in Category 1 (a) of the Schedule of the EIA Notification dated 14/0/2006.

Dear Sir,

This has reference to 48 applications seeking environmental clearance for mining of Basalt Stone (Blacktrap) from the Department of Geology & Mining, Gandhinagar along with the information in specified performa endorsed by the Geologist of Surat district, which is also duly verified by the Office of the Commissioner, Geology & Mining, Gandhinagar.

The brief information submitted by Commissioner, Geology & Mining, Gandhinagar as follows:

Sr No	Name of Applicant	Survey No.	Lease Area in Hectare	Rate of Mining (MT/Annum)	Distance of nearest Village
1	Shree Shramdeep Quarry Works	B.No.344,S.No.196,197,198, Vill. Wadi, Ta. Umarpada	02-42-82	30,000	Wadi: 1.27 km

A lease area of this proposal is less than 5 Ha and being mining projects they fall under project / activity no. 1(a) of the Schedule of the EIA Notification, 2000. As individual lease area of each of the proposals is less than 50 Hectare, they fall under category B.

Since the project was categorized as 'B2', it does not require Public Consultation as per Para 7(i) iii. Stage (3) (e) of EIA Notification, 2000.

The SEAC, Gujarat had recommended 48 proposals to the SEIAA based on SEAC meeting held on dated 17.10.2014 where Geologist, Surat District, Geology and Mining Department called for presentation and based on discussion SEAC Gujarat sent their recommendation for 48 proposals on dated 26.11.2014 to SEIAA to grant the Environment Clearance to these mining projects.

The proposal was considered by SEIAA, Gujarat in its meeting held on 07.02.2015 at Gandhinagar. After detailed deliberation and careful consideration, SEIAA hereby accords individual Environmental Clearance to above project under the provisions of the EIA Notification dated 14th September, 2000 subject to compliance of the following conditions.

SPECIFIC CONDITIONS:

1. Project proponent shall comply with all the guidelines and notifications issued by MOEFCC, New Delhi regarding cluster policy as part of compliance of orders of Hon'ble National Green Tribunal time to time.
2. If lease area of project proponent falls in the cluster and total borrowed area of the cluster fall under category B1 or A, as per the prevailing guidelines of MoEFCC, New Delhi, all the concerned procedures shall be followed up accordingly for compliance of Environmental Laws/Notifications/Rules and under such circumstances project proponent shall extend all support including financial contribution or otherwise also for compliance of environmental Laws/Notifications/Rules such cluster.
3. If lease area of applicant falls in the cluster and total borrowed area of the cluster fall under category B1 or A, EIA study shall be carried out for the said cluster as decided by the competent authority and EMP for the cluster shall be prepared based on outcome of the EIA study. In such a case, all the suggestions/recommendations of EIA/EMP prepared for the cluster shall be complied within a letter and spirit by the project proponent(s) including lease holders who have already been accorded Environmental Clearance.



4. No mining shall be undertaken outside the area specified in this Environmental Clearance.
5. Any change in lease area (Individual/custer), survey number, entailing capacity addition with change in mining technology, modernization and scope of working shall again require prior Environmental Clearance as per the provisions of EIA Notification, 2006 as amended time to time.

CONDITIONS: WATER

6. The project proponent shall obtain necessary prior permission of the competent authorities for withdrawal of requisite quantity of water (surface water and/or ground water) required for the project.
7. Mining operation shall not intersect ground table and hence there shall not be any water / wastewater discharge from mining operations.
8. Garland Drains, settling tank and Catch drains of appropriate size, gradient and length shall be constructed around the excavated mine, mineral dumps, reject dumps to prevent silt and sediments flowing into any water body.
9. Domestic wastewater shall be disposed off through septic tank - soak pit.

A.2 AIR:

10. Effective safeguards, such as regular water sprinkling shall be out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points.
11. Drills shall either be operated with dust extractors or equipped with water injection system (wet drilling) to suppress air borne dust during drilling.
12. Only controlled blasting shall be practiced with all necessary care. Blasting operation shall be carried out only during the day time.
13. Internal roads shall be either paved properly or sprinkled with water at regular intervals for controlling fugitive emission during vehicular movement. Trees of native species shall be developed along both sides of internal roads in order to contain dust.
14. Vehicles shall not be overloaded and mineral transportation shall be done only through covered trucks so that no spillage of mineral / dust take place.
15. Vehicles used in mining operations shall be maintained well so as to keep vehicular emissions in control.
16. Fugitive emission in work place ambient air shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities.
17. Ambient air quality shall be monitored at site and the nearest human habitation and it shall conform to the norms prescribed by the MoEF, Govt. of India.

A.3 OVER BURDEN / REJECTS / HAZARDOUS WASTE:

18. The project proponent shall strive to adopt zero waste mining concepts by reducing the quantum of reject through technological innovation or finding the use of fines through perspective buyers.
19. Top soil from the mining area shall be scrapped, stacked separately, preserved and utilized for the plantation work.
20. Overburden, waste rock and non-saleable mineral generated during prospecting or mining operations shall be stored separately in properly formed dumps on grounds earmarked. Slope and height of such dumps shall be restricted adequately to prevent any slippage of material. Such dumps should be properly terraced, stabilized and secured at toe to prevent the escape of material that may cause degradation of the surrounding land or silting of water courses.
21. Overburden or other rejects shall be backfilled into the worked out quarry so far as possible with a view to restore the land to its original use or desired alternate use.
22. Used oil / waste oil, if any, generated shall be sold only to the registered recyclers. In case of generation of hazardous waste, the project proponent shall strictly comply with the provisions of Hazardous Waste (Management, Handling and Transboundary Movement) Rules 2008, as may be amended from time to time.

A.4 SAFETY:

23. Only controlled blasting shall be performed with all necessary care for protection of public, workers and property from fly rock and vibration risks.
24. Blasting shall be done in such a manner to prevent formation of big size boulders and thereby to minimize need for secondary blasting.
25. When blasting is done it shall be ensured that the persons have moved out of buildings and away from the danger zone. At the time of blasting a guard shall be posted on either side of the road to warn the passers.
26. Explosives for blasting shall be used only after taking requisite permission from the District Collector of Mines Safety. The use of explosives shall be in strict accordance with the provisions of the Explosives Act, 1908 and the Explosives Rules, 1961.



27. Anti-vibration devices shall be provided to vibratory tools / equipment to be used by workers during mining. Vibrations shall be maintained within safe limit.
28. All the precautions are to be observed as per Reg. 106 of MMR, 1961 for safety and security. Face masks, helmets, safety shoes etc. shall be provided to all the workers working in the mining areas and its usage shall be ensured and supervised.
29. First Aid Box should be made readily available at the site.
30. Occupational health surveillance of workers shall be undertaken periodically by a doctor who is expert in occupational health and hygiene and its records shall be maintained.
31. Information regarding occupational mine diseases caused due to air pollution and its preventive measures shall be displayed at site in vernacular language for workers.

A.5. NOISE:

32. Noise level in and around the lease area shall be kept well within the standards by providing noise control measures including engineering control like acoustic insulation, hoods, silencers, enclosures etc. on all sources of noise generation. Ambient noise level shall conform to the standards prescribed under the Environment (Protection) Act & Rules, 1986.

A.6. GREEN BELT DEVELOPMENT:

33. Green belt shall be developed in periphery of the lease area as per the CPCB guidelines and strictly as per the time schedule. The green belt should comprise of rows of varying height native trees with thick foliage.
34. Drip irrigation system shall be used for the green belt development within the premises.

B. OTHER CONDITIONS:

35. This Environmental Clearance does not confer any right to the project proponent on the land proposed for lease and all necessary statutory clearances / permissions shall be obtained from respective department before start of mining operations.
36. Mining operation shall be restricted to above ground water table and it shall be ensured that it does not intersect ground water table.
37. The project proponent shall ensure that no natural water course gets obstructed due to mining operations.
38. The pits left unfilled in lease area shall be converted to water body. Higher benches of excavated void/mining pit shall be terraced and its slope shall be made gentler for easy accessibility to the water body.
39. No mining shall be carried out in the safety zone of any bridge / embankment and in the vicinity of natural / manmade archeological sites.
40. No wildlife habitat shall be infringed and in addition to that before issuing the mining lease, it has to be ensured that no wildlife moments shall be existing in the lease area proposed for mining.
41. A booklet containing the Dos and Don'ts shall be prepared in vernacular languages for the use of site in-charge and workers to ensure that all necessary environmental, safety and health measures are undertaken.
42. Funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purpose. Records of year wise expenditure shall be maintained.
43. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of environmental protection and management.
44. Half yearly compliance reports on the conditions stipulated hereinabove shall be submitted to the SEIAA, State Pollution Control Board and the Regional Office of the Ministry of Environment and Forests, Bhopal, on 1st June and 1st December of each calendar year by individual project proponent.
45. The project proponent shall have to comply with the provisions of Gujarat Minor Mineral Concession Rules (GMMCR) as and when amended by the State Govt. with respect to the provisions for approval of mining plan, EMP for cluster, creation of separate corpus, etc. in view of the recommendations made by the MoEF in its report of March 2010 and the model guidelines framed by the Ministry of Mines.
46. The project proponent shall have to get their Mining Plan approved by the competent authority, within a period of one year from the date of grant of environmental clearance.
47. Decisions/Directions of Hon'ble Court and Hon'ble National Green Tribunal given in the matter of minor minerals shall be binding on the project proponent.
48. The individual project proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.

49. The project authorities shall inform the G.P.C.B. Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
50. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.
51. The project proponent in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and Hazardous Wastes (Management Handling and Transboundary) Rules, 2008 along with their amendments and rules.
52. The environmental clearance is being issued without prejudice to the action, if any, initiated under the E.P. Act or any court case, if any, pending in the court of law and it does not mean that the project proponent has not violated any environmental laws in the past. This clearance does not give immunity to the project proponent for the case, if any, filed against him in any court of law or action initiated under the E.P. Act.
53. Precise mining area shall be jointly demarcated at the site by officials of Mining / Revenue Department prior to mining operations. Records of such site plan, duly verified by competent authority shall be maintained.
54. The project proponent shall carry out activities under CSR in consultation with the District Development Officer / District Collector.
55. Project proponent shall ensure that Mining Plan of the proposed project will be prepared and approved by the competent authority within a period of one year from the date of grant of environmental clearance.
56. Geology and Mining Department will take all measures to comply with all the conditions stipulated in this Environmental Clearance and all the conditions stipulated in this clearance shall be incorporated while granting lease to individual lease holder.
57. This clearance is issued with respect to only environmental considerations and it does not imply that SEIAA approved the way by which lease is granted to the project. While granting lease, the concerned authority shall ensure compliance of relevant Rules, Regulations, Notifications, Government Resolutions, Circulars, Judgments / Orders of Hon'ble Courts and NGT, etc.
58. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

With regards,
Yours sincerely,

(N.K.PATEL)
Member Secretary

Issued to:

Shree Shramdeep Quarry Works
B.No.344,S.No.196,197,198, Vill. Wadi, Ta. Umarpada,
Dist: Surat

Served Through: The Geologist / Asst. Geologist, Geology & Mining Div., Collector Office, Surat District

Copy to -

1. The Secretary, SEAC, C/O. G.P.C.B. Gandhinagar - 382010
2. The Commissioner, Geology & Mining, Block No. 15, 7th Floor, Udyog Bhavan, Sector - 11, Gandhinagar.
3. The Chairman, Central Pollution Control Board, Parvash Bhavan, CBD -cum-Office Complex, East Arjun Nagar, New Delhi-110032
4. Zonal Officer, Central Pollution Control Board, Parvash Bhavan, Opp Vard Office, Ward Number 10, Subhanpura, Vadadara - 390 023
5. The Chief Conservator of Forests (Central), Ministry of Environment & Forests, Regional Office (WZ), E-5, Arera Colony Link Road-3 Bhopal-462016 MP
6. Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi-110003
7. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector-10 A, Gandhinagar-382110
8. Select File

(N.K.PATEL)
Member Secretary



029

Scanned by CamScanner